AMENDMENTS TO THE CLAIMS

This version of claims will replace all previous listings of claims in this application.

1. (Currently Amended) A method for communicating a data element in an ASN.1 PER standard format in a way that does not identify the format of the element, comprising:

creating a unique identifier, the unique identifier specifying the format of the data element and identifying, using recursion, whether the data element references itself; inserting the unique identifier as part of the data element; and transmitting the data element and unique identifier.

- 2. (Original) The method of claim 1, wherein creating the unique identifier further comprises producing a canonical representation.
- 3. (Original) The method of claim 2, wherein creating the unique identifier further comprises hashing the canonical representation to produce the unique identifier.
- 4. (Original) The method of claim 3, wherein creating the unique identifier further includes creating the unique identifier with a fixed size.
- 5. (Original) The method of claim 3, wherein creating the unique identifier further includes creating the unique identifier with a fixed size of sixteen bytes.
 - 6. (Cancelled)

- 7. (Currently Amended) The method of claim 1, wherein creating the unique identifier further includes determining whether [[the]] an expected form includes a structure or a type of data in the data element.
- 8. (Original) The method of claim 1, wherein transmitting the data element includes transmitting the data element through the Internet.
 - 9. (Cancelled)
- 10. (Currently Amended) A method for communicating a data element in an ASN.1 PER standard format in a way that does not identify the format of the element, comprising:

receiving the data element;

extracting a unique identifier that specifies the format of the data element and indicates, using recursion, whether the data element references itself; and processing the data using the unique identifier.

- 11. (Original) The method of claim 10, wherein receiving the unique identifier further comprises receiving the unique identifier of a fixed size.
- 12. (Original) The method of claim 10, wherein receiving the unique identifier further comprises receiving the unique identifier with a fixed size of sixteen bytes.

13. (Cancelled)

- 14. (Currently Amended) The method of claim 10, wherein processing the unique identifier includes determining whether [[the]] <u>an</u> expected form comprises a structure.
- 15. (Currently Amended) The method of claim 10, wherein processing the unique identifier includes determining whether [[the]] an expected form comprises a type of data.
- 16. (Original) The method of claim 10, wherein processing the unique identifier includes:

creating a second identifier based on an expected format of the data element; and

comparing the unique identifier and the second identifier.

- 17. (Cancelled)
- 18. (Currently Amended) A system for communicating a data element <u>in an ASN.1 PER standard format</u> in a way that does not identify the format of the element, comprising:

a component for creating a unique identifier, the unique identifier specifying the format of the data element and indicating, using recursion, whether the data element references itself;

a component for inserting the unique identifier as part of the data element; and a component for transmitting the data element and unique identifier.

- 19. (Original) The system of claim 18, wherein the component for creating the unique identifier is further configured for producing a canonical representation.
- 20. (Original) The system of claim 19, wherein the component for creating the unique identifier is further configured for hashing the canonical representation to produce the unique identifier.
- 21. (Original) The system of claim 20, wherein the component for creating the unique identifier is further configured for creating the unique identifier with a fixed size.
- 22. (Original) The system of claim 20, wherein the component for creating the unique identifier is further configured for creating the unique identifier with a fixed size of sixteen bytes.
 - 23. (Cancelled)

- 24. (Currently Amended) The system of claim 18, wherein the component for creating the unique identifier is further configured for determining whether [[the]] an expected form includes a structure or a type of data in the data element.
- 25. (Original) The system of claim 18, wherein the component for transmitting the data element is further configured for transmitting the data element through the lnternet.
 - 26. (Cancelled)
- 27. (Currently Amended) A system for communicating a data element in an ASN.1 PER standard format in a way that does not identify the format of the element, comprising:
 - a component for receiving the data element;
- a component for extracting a unique identifier that specifies the format of the data element and indicates, using recursion, whether the data element references itself; and a component for processing the data using the unique identifier.
- 28. (Original) The system of claim 27, wherein the component for receiving the unique identifier is further configured for receiving the unique identifier of a fixed size.

29. (Original) The system of claim 27, wherein the component for receiving the unique identifier is further configured for receiving the unique identifier with a fixed size of sixteen bytes.

30. (Cancelled)

- 31. (Currently Amended) The system of claim 27, wherein the component for processing the unique identifier is further configured for determining whether [[the]] <u>an</u> expected form comprises a structure.
- 32. (Currently Amended) The system of claim 27, wherein the component for processing the unique identifier is further configured for determining whether [[the]] an expected form comprises a type of data.
- 33. (Original) The system of claim 27, wherein the component for processing the unique identifier is further configured for:

creating a second identifier based on an expected format of the data element; and

comparing the unique identifier and the second identifier.

34. (Cancelled)

35. (Currently Amended) A computer-readable medium on which is stored a set of instructions for communicating a data element in an ASN.1 PER standard format in a way that does not identify the format of the element, which when executed perform stages comprising:

creating a unique identifier, the unique identifier specifying the format of the data element and indicating, using recursion, whether the data element references itself; inserting the unique identifier as part of the data element; and transmitting the data element and unique identifier.

- 36. (Original) The computer-readable medium of claim 35, wherein creating the unique identifier further comprises producing a canonical representation.
- 37. (Original) The computer-readable medium of claim 36, wherein creating the unique identifier further comprises hashing the canonical representation to produce the unique identifier.
- 38. (Original) The computer-readable medium of claim 37, wherein creating the unique identifier further includes creating the unique identifier with a fixed size.
- 39. (Original) The computer-readable medium of claim 37, wherein creating the unique identifier further includes creating the unique identifier with a fixed size of sixteen bytes.

40. (Cancelled)

41. (Currently Amended) he computer-readable medium of claim 35, wherein creating the unique identifier further includes determining whether [[the]] <u>an</u> expected form includes a structure or a type of data in the data element.

42. (Original) The computer-readable medium of claim 35, wherein transmitting the data element includes transmitting the data element through the Internet.

43. (Cancelled)

44. (Currently Amended) A computer-readable medium on which is stored a set of instructions for communicating a data element in an ASN.1 PER standard format in a way that does not identify the format of the element, which when executed perform stages comprising:

receiving the data element;

extracting a unique identifier that specifies the format of the data element and indicates, using recursion, whether the data element references itself; and processing the data using the unique identifier.

45. (Original) The computer-readable medium of claim 44, wherein receiving the unique identifier further comprises receiving the unique identifier of a fixed size.

46. (Original) The computer-readable medium of claim 44, wherein receiving the unique identifier further comprises receiving the unique identifier with a fixed size of sixteen bytes.

47. (Cancelled)

- 48. (Currently Amended) The computer-readable medium of claim 44, wherein processing the unique identifier includes determining whether [[the]] an expected form comprises a structure.
- 49. (Currently Amended) The computer-readable medium of claim 44, wherein processing the unique identifier includes determining whether [[the]] an expected form comprises a type of data.
- 50. (Original) The computer-readable medium of claim 44, wherein processing the unique identifier includes:

creating a second identifier based on an expected format of the data element; and

comparing the unique identifier and the second identifier.

51. (Cancelled)